



KEI

Wires & Cables





PROFILE

KEI has been at the forefront of India's wire and cable industry for the last 5 decades. We manufacture a range of specialized cables and are a crucial player in the domestic and retail segment. Since inception, we have firmly believed in the philosophy of constant growth and innovation. Customer satisfaction has always been our priority. A highly qualified, committed and experienced group of professionals strive to meet international standards and cater to the needs of a changing market. Our unblemished track record has earned us the patronage of leading industrial houses, project consultants and architects. In order to provide reliable and expedient services to our customers,

we have created manufacturing facilities at Rakholi, Chinchpada (Silvassa), Chopanki, Bhiwadi & Pathredi (Rajasthan).

We employ state - of - the - art equipment and adhere to international safety and environmental norms.

KEI was established in 1968 as a partnership company in the domestic wire segment. In the early seventies we started manufacturing switchboard cables and control, instrumentation and thermocouple extension cables including special application cables like fire retardant and low halogen cables. In 1993 we added power cables with PVC & XLPE insulation in our product line. Today KEI is a one-stop-shop when it comes to meeting cabling requirements for the domestic, power and industrial sectors.



CM/L-7380172



CM/L-7800072614



International Copper Association India
Copper Alliance



www.kei-ind.com

FLAME RETARDANT PVC INSULATED SINGLE CORE UNSHEATHED COPPER CABLES (UP TO 1100 VOLTS AC)



CONDUCTOR: The conductors, drawn from bright electrolytic grade copper and annealed and bunched together.

INSULATION: The bunched conductors are insulated with specially formulated FR PVC compound with a high insulation resistance value. The insulation process is carried out on modern high speed extrusion lines, which ensures high accuracy and consistency in performance. Flame retardant properties enable the cable to withstand overloads. The insulation is resistant to boiling water, steam and vapors. This prevents ageing and cracking in kitchens, bathrooms, damp walls and chemical industries.

MARKING: The cables are printed with generic marking 'HOMECAB'.

COLORS: Red, Yellow, Blue, Black, Green and Grey.

PACKING: 90 Meters (apprx.100 yards) pack in protective cartons.

HomeCab is a multi-stranded flexible wire with flame retardant properties. It has specially formulated insulation with a high oxygen and temperature index, enabling the wire to withstand overloads preventing electric mishaps. So, give yourself the promise of security and supreme quality. Get KEI house wires and safeguard your home for life.

homecabTM - FR Flame Retardant

Test	Specification	Specified Values
Critical Oxygen Index	ASTM-D 2863	Minimum 29%
Temperature Index	ASTM-D 2863	Minimum 250 °C

SIZE DIMENSIONS AND RATINGS

Nominal Cross Sectional Area of Conductor	Number/Nominal Dia of wires* [Nom.]	Thickness of insulation [Nom.]	Overall Diameter Max.	Current Rating		D.C Resistance [Max.] at 20 °C
				Casing	Concealed	
Sq.mm	Number/mm	mm	mm	amps	amps	Ohm/km
0.5	16/0.2	0.6	2.6	6.00	5.00	39.0
0.75	24/0.2	0.6	2.8	7.50	7.00	26.0
1.00	32/0.2	0.6	3.0	12.00	11.00	19.5
1.50	30/0.25	0.6	3.4	16.00	14.00	13.3
2.50	50/0.25	0.7	4.1	22.00	19.00	7.98
4.00	56/0.3	0.8	4.8	29.00	26.00	4.95
6.00	84/0.3	0.8	5.3	37.00	31.00	3.30

*The number & diameter of conductor strands are for reference only and governed by conductor resistance.

**The above data is indicative only and may be revised without prior information. KEI will not be responsible for any damages arising out of incorrect application of its product.

FLAME RETARDANT LOW SMOKE PVC INSULATED SINGLE CORE UNSHEATHED COPPER CABLES (UP TO 1100 VOLTS AC)



CONDUCTOR: The conductors, drawn from bright electrolytic grade copper and annealed and bunched together.

INSULATION: The bunched conductors are insulated with specially formulated Flame Retardant Low Smoke Compound. During a fire situation, the FR-LSH compound restricts the spread of flame. The smoke emission is also minimal.

MARKING: The cables are printed with generic marking 'CONFLAME'.

COLORS: Red, Yellow, Blue, Black, Green and Grey.

PACKING: 90 Meters (apprx.100 yards) pack in protective cartons.

KEI's innovative offering Conflame is ideal for wiring solutions in multi-storied buildings, hotels, hospitals, commercial establishments and residential complexes. It is shielded by a specially formulated flame retardant PVC compound. During fire, ordinary PVC emits black smoke and toxic fumes which are acidic in nature. This impairs visibility and hampers rescue operations. Conflame insulation retards spread of fire and emits minimum smoke and toxic gases. Thereby reducing the risk of injury. So, give yourself the promise of security and supreme quality. Get KEI house wires and safeguard your home for life.

conFlame® - FR-LSH

Flame Retardant Low Smoke & Halogen

Test	Specification	Specified Values
Critical Oxygen Index	ASTM-D 2863	Minimum 29%
Temperature Index	ASTM-D 2863	Minimum 250 °C
Acid Gas Generation	IEC 60754-1	Maximum 20%
Smoke Density Rating	ASTM-D 2843	Maximum 60%

SIZE DIMENSIONS AND RATINGS

Nominal Cross Sectional Area of Conductor	Number/Nominal Dia of wires* [Nom.]	Thickness of insulation [Nom.]	Overall Diameter Max.	Current Rating		D.C Resistance [Max.] at 20 °C
				Casing	Concealed	
Sq.mm	Number/mm	mm	mm	amps	amps	Ohm/km
0.75	24/0.2	0.6	2.8	7.50	7.00	26.0
1.00	32/0.2	0.6	3.0	12.00	11.00	19.5
1.50	30/0.25	0.6	3.4	16.00	14.00	13.3
2.50	50/0.25	0.7	4.1	22.00	19.00	7.98
4.00	56/0.3	0.8	4.8	29.00	26.00	4.95
6.00	84/0.3	0.8	5.3	37.00	31.00	3.30

*The number & diameter of conductor strands are for reference only and governed by conductor resistance.

†The above data is indicative only and may be revised without prior information. KEI will not be responsible for any damages arising out of incorrect application of its product.

ZERO HALOGEN FLAME RETARDANT INSULATED SINGLE CORE UNSHEATHED COPPER CABLES (UP TO 1100 VOLTS AC)



CONDUCTOR: The conductors, drawn from bright electrolytic grade copper and annealed and bunched together.

INSULATION: The bunched conductors are insulated with specially formulated grade of Halogen Free Flame Retardant (HFFR) compound is used. The insulation does not melt or drop in case of fire. The smoke emitted is transparent, non-toxic and minimal. The victims trapped in the fire do not suffocate and evacuation is convenient.

MARKING: The cables are printed with generic marking 'BANFIRE'.

COLORS: Red, Yellow, Blue, Black, Green and Grey.

PACKING: 90 Meters (apprx.100 yards) pack in protective cartons.

KEI Banfire is processed using a zero Halogen Flame Retardant compound (ZHFR). The insulation is of superior quality, 100% PVC free and eco-friendly. In case of a fire situation, Banfire does not emit toxic or poisonous fumes, which enables safe evacuation. These wires are best suited for wiring in hospitals, hotels, business establishments and high rise buildings where fire can be determined. So, give yourself the promise of security and supreme quality. Get KEI house wires and safeguard your home for life.

banfire[®] - ZHFR Zero Halogen Flame Retardant

Test	Specification	Specified Values
Critical Oxygen Index	ASTM-D 2863	Minimum 29%
Temperature Index	ASTM-D 2863	Minimum 250 °C
Acid Gas Generation	IEC 60754-1	Maximum 0.5%
Smoke Density Rating	ASTM-D 2843	Maximum 20%

SIZE DIMENSIONS AND RATINGS

Nominal Cross Sectional Area of Conductor	Number/Nominal Dia of wires*[Nom.]	Thickness of insulation [Nom.]	Overall Diameter Max.	Current Rating		D.C Resistance [Max.] at 20 °C
				Casing	Concealed	
Sq.mm	Number/mm	mm	mm	amps	amps	Ohm/km
0.75	24/0.2	0.6	2.8	7.50	7.00	26.0
1.00	32/0.2	0.6	3.0	12.00	11.00	19.5
1.50	30/0.25	0.6	3.4	16.00	14.00	13.3
2.50	50/0.25	0.7	4.1	22.00	19.00	7.98
4.00	56/0.3	0.8	4.8	29.00	26.00	4.95
6.00	84/0.3	0.8	5.3	37.00	31.00	3.30

*The number & diameter of conductor strands are for reference only and governed by conductor resistance.

The above data is indicative only and may be revised without prior information. KEI will not be responsible for any damages arising out of incorrect application of its product.

KEI Industries Limited

REGISTERED AND CORPORATE OFFICE:

D-90, OKHLA INDUSTRIAL AREA PHASE-I, NEW DELHI-110020, TEL: +91-11-26818840/8642/0242 FAX: 26817225, 26811959

E-MAIL: info@kei-ind.com WEBSITE: www.kei-ind.com CIN NO: L74899DL1992PLC051527

Manufacturing Units

Bhiwadi

KEI Industries Limited
SP-919/920/922, Ricco Industrial Area,
Phase-III, Bhiwadi, Distt. Alwar-301019 Rajasthan
Tel: +91-1493-220106/221731
Fax: 221731 E-Mail: bhiwadi@kei-ind.com

Pathredi

KEI Industries Limited
Plot No.SP2-874, Ind. Area Pathredi-301019
Bhiwadi (Alwar) Rajasthan (India) Tel: 9828588579

Silvassa

KEI Industries Limited
99/27, Madhuban Industrial Estate, Rakholi,
Silvassa-396230 Dadra & Nagar Haveli
Tel: +91-260-2644404/2630944
Fax: 2645896 E-Mail: silvassa@kei-ind.com

Chinchpada

KEI Industries Limited
Survey No. 1/1/2/5, Village Chinchpada,
Silvassa-396230, Dadra Nagar Haveli (UT)
Tel: 7574881215 E-Mail: silvassa@kei-ind.com

Chopanki

KEI Industries Limited
A-280/281/282/283/284, Ricco Industrial Area
(Chopanki) Distt. Alwar-301019 Rajasthan
Tel: +91-1493-260202/06 Fax: 260203
E-mail: chopanki@kei-ind.com

Marketing Offices (India)

WEST

Marketing Office-Mumbai

KEI Industries Limited
Nirvan Corporate, 7th Floor, Opposite Aghadi Nagar,
Pump House, Jijamata Road, Andheri East,
Mumbai-400093
Tel: +91-22-28239673, 28375642
Fax: +91-22-28258277 E-mail: mumbai@kei-ind.com

Ahmedabad

KEI Industries Limited
301, Sarthik Complex, Opp. ISCKON BRTS,
Satellite Road, Ahmedabad-380015, Tel: 9825795673
E-Mail: dharmin.maniar@kei-ind.com, ahmedabad@kei-ind.com

Pune

KEI Industries Limited
Vasudha Equinox, Office No. 104, 1st Floor,
Mouje Bopodi, Near Khadki Railway Station, Pune-411003
Tel: 9922722378
E-Mail: srivastav.prashant@kei-ind.com

Nagpur

KEI Industries Limited
103, Misal Layout, Near Maharashtra School
Nagpur - 440014 E-Mail: nagpur@kei-ind.com
Mr. Saranjeet S. Kohli, Tel: +91-9822473774
E-Mail: saranjeet.kohli@kei-ind.com

Kolhapur

KEI Industries Limited, 776/ 3/6 AmarnathHights Building,
Near AmarnathMandir Ganesh Colony, Kalamba Road,
Kolhapur - 416007
Mr. Rajaram B. Kamble Tel: 9371104263 / 8291918940
E-Mail: kolhapur@kei-ind.com, rajaram.kamble@kei-ind.com

Vapi/Silvassa/Daman

KEI Industries Limited
A1/302, Karmabhumi Residency, Behind Golden
Bakery, Nanakwada, Halar,
Valsad-396001.
Mr. Harsh Desai, Tel: 9723455316
E-Mail: harsh.desai@kei-ind.com

Raipur

KEI Industries Limited
206, 2nd Floor, Harshit Corporate, Amanaka,
G.E. Road, Raipur, Chhattisgarh-492001
Email: Chhattisgarh@kei-ind.com
Mr. Sumit Ganguly - 7581809898
Email: sumit.ganguly@kei-ind.com

Goa

KEI Industries Limited
House no: 617, Housing Board Colony,
Camurim Mapusa Goa 403507.
E-Mail: goa@kei-ind.com
Mr. Nilesh Parab - 9890452484
E-Mail: nilesh.parab@kei-ind.com

Solapur

KEI Industries Limited
Niranjan V. Deshpande
462, Om Namah Shivay Nagar, Kumthe Road,
Near Shastri Math, Hatture Vasti, Solapur. 413005
Tel: 8291918937 E-Mail: niranjan@kei-ind.com

Rajkot

KEI Industries Limited
Mr. Nitin Tank Tel: +91-8155044144
E-Mail: nitin.tank@kei-ind.com

Nasik

KEI Industries Limited
4, Sanket Apartment, Tidake Colony,
Behind Hyundai Showroom, Nashik,
Maharashtra-422002
Tel: 8805369705 / 8291918949
E-Mail: ghanshyam.pardeshi@kei-ind.com

Baroda

KEI Industries Limited
803-804, Siddharth Complex, Near Hotel Express
R.C. Dutt Road, Baroda-390007
Tel: +91-265-6539719, 2341831, 9824676443,
9327476732, E-Mail: baroda@kei-ind.com,
amit.gohil@kei-ind.com

Surat

KEI Industries Limited
703, Royal Trade Centre. Opposite Star Bazar,
Adajan-Hazira Road, Adajan, Surat-395009
Tel: 09879018448, +91-261-2793279
E-Mail: rakesh.patel@kei-ind.com

Aurangabad

KEI Industries Limited
Mahesh Pandurang Akalekar, Flat No. 11, Padmini Housing Society,
Nakshtra Park, Beside Walmi Naka, Paithan Road,
Aurangabad- 431 005
Tel: 07045922707/706, 9075008151
E-Mail: aurangabad@kei-ind.com, mahesh.akalekar@kei-ind.com

Noida

KEI Industries Limited A-43 Ground Floor, Sector-64,
Noida, UP-201301 Tel: 0120-4315467

Indore

KEI Industries Limited
Plot No 451 Sch No 78 Industrial Area New Loha Mandi
Dewas Naka Indore 452010 (M.P.)Tel: 9826588885

Gurgaon

KEI Industries Limited
Shop no-101 1st Floor, Radha Palace
Gurudwara Road, Gurgaon Haryana-122001
Tel: +919873561757 E-Mail: rksingh@kei-ind.com

Dehradun

KEI Industries Limited
H.No. - 329, Lane No- 13, Mohit Nagar,
Dehradun - 248001 (U.K.), Ph: 0135-2762223.
Tel: 9756621171 E-mail: depotdehradun@kei-ind.com

Secunderabad

KEI Industries Limited
5-2-510, 2nd floor, plot no: 44, Beside Govt Primary
School, Near Bible House, Hyderabasti, R.P. Road,
Secunderabad, Telangana- 500003 Tel.: 8008000583,
9963530111 E-Mail:Kiran.kumar@kei-ind.com

Coimbatore

KEI Industries Limited, SF.no. 581/A, K.N.G. Pudur Road,
Kanuvai Post S.M. Palayam Village, Coimbatore-641108
Tel: 9443324217, E-Mail: manohar.@kei-ind.com

Vijayawada

KEI Industries Limited
Venkata Ramana Enclave, D.No. 48-18-2a/1,
2nd Floor -Nagarjuna Nagar Colony, 6th Lane, Behind
Sai Baba Temple, Besides Ayush Hospital Krishna
Dist., Andhra Pradesh-520008 Tel.: 8886063715
E-Mail: syed.mahamood@kei-ind.com

Kolkata

KEI Industries Limited
Arihant Benchmark, 4th Floor 113-F Matheshwartola
Road Ps:Tijjala, Kolkata: 700046
Tel: 033-4062 0820 / 4062 0822, 9932449183
E-Mail: kolkata@kei-ind.com

Siliguri

KEI Industries Limited, 8, Balai Das Chatterjee Road,
Ground Floor, Hakimpura, (Opp. Relief Physiotherapy
Centre) Dist-Darjeeling, Siliguri-734001, West Bengal
Tel: 6292209825, E-Mail: dibyojyoti.karmakar@kei-ind.com

Korea (Local Representative)

Contact: Mr. CH Han
E-mail: ch.han@kei-ind.com
Tel: +82-10-4351-8585
Mr. TH Park
E-mail: th.park@kei-ind.com Contact : +82-10-9104-4519

NORTH

Jaipur

KEI Industries Limited
Shivam Business Center, 405, 4th Floor,
Calgary Hospital Road, Pradhan Marg,
Malviya Nagar, Jaipur - 302017 (Rajasthan)
Phone No. + 91 141 5179279 Fax: +91 141 252 9404
Tel: +91 99290 93711 E-Mail : jaipur@kei-ind.com

Chandigarh

KEI Industries Limited
SCO 17, 1st Floor, Swastik Vihar, MDC, Sector-5,
Panchkula-134109 Tel: +91-172-4416301, 4416300,
9872974996, 9872581422 E-Mail:
chandigarh@kei-ind.com

SOUTH

Chennai

KEI Industries Limited
No.4, (Old. No. 23) SIR C P Ramasamy Road,
2nd Floor, Near Apollo Spectra Hospital
Alwarpet, Chennai-600018
Tel: +91-44-42009120
Fax: +91-44-42009130; 8939768405
E-Mail: victor@kei-ind.com, chennai@kei-ind.com

Cochin

KEI Industries Limited
Ward No.18/555 and 18/556, NAD Thorappu,
Near Kuzhikkattukara Jama Masjid,
Edathala, Ernakulam, Kerala - 683563
Tel: 9645096420 , E-Mail : cochin@kei-ind.com

EAST

Bhubaneswar

KEI Industries Limited
Plot No- 139, 3rd Floor, Rose Dale District Centre,
Chandrasekharpur, Bhubaneswar-751016, Odisha
Tel: 9937033537
E-Mail: odisha@kei-ind.com

Patna

KEI Industries Limited
HIG Plot No-4H/59, Bahadurpur Housing Colony,
Lohia Nagar, Agamkuan, Patna 800026, Bihar
Tel: + 91 95348 38038, 7360042598
E-Mail: bihar@kei-ind.com

Bangalore

KEI Industries Limited
No 15, Sirur Park Road, Sheshadripuram,
Bangalore-560020
Tel: +91-80-23466254, +91-80-23466260/55
Ph.: 8884439333 E-Mail: bangalore@kei-ind.com

Hyderabad

KEI Industries Limited
Plot No. 76, H.No. 3-14-52/1, Shubodaya Colony,
Near M.E Reddy Function Hall, Mansoorabad,
Vanasthalipuram, Hyderabad-500070
Tel: +91 88860 63702, +91 99855 77886
E-Mail: hyderabad@kei-ind.com

Guwahati

KEI Industries Limited, Mangalam Plaza
Compound, Near North East Weight Bridge, NH-37
Bye Pass, Beltola, Guwahati-781029 Assam
Rubul Gogoi - 8134846024, 9706050041
E-Mail: rubul@kei-ind.com

Ranchi

KEI Industries Limited
Golden Camp Warehouse, Old H B Road
Kokar, Ranchi, Jharkhand - 834001
Tel: 9810492658, 8918904901
E-Mail : jharkhand@kei-ind.com

Marketing Office (Overseas)

Dubai

KEI Industries Limited
Office -27, LOB 10, PO Box - 261739, JAFZA, Dubai UAE.
Tel : +971-48812310, Fax : +971-48812311, Mobile : +971-564853435
Email : dubai@kei-ind.com
Contact : Mr. Devraj Tigaiya

South Africa

KEI Cables SA (Pty) Ltd.
Unit 27-4, Fish Eagle View, 1 Benacre Lane,
Modderfontein, 1609, South Africa
Ms. Thavashnee Pillay +27 83 235 2895

Singapore

KEI Industries Limited
No.52, UBI Avenue 3, # 04-37 Frontier,
Singapore-408867 Tel: +65 83240193
Contact: Mr. Xavier Toh Hong Ghee
E-mail: xavier@kei-sin.com

Nigeria

(Marketing Representative)
E-mail: kunal.gupta@kei-ind.com
Tel: +234 809 9777786