

















# PROFILE

KEI has been at the forefront of India's wire and cable industry for the last 5 decades. We manufacture a range of specialized cables and are a crucial player in the domestic and retail segment. Since inception, we have firmly believed in the philosophy of constant growth and innovation. Customer satisfaction has always been our priority. A highly qualified, committed and experienced group of professionals strive to meet international standards and cater to the needs of a changing market. Our unblemished track record has earned us the patronage of leading industrial houses, project consultants and architects. In order to provide reliable and expedient services to our customers,

we have created manufacturing facilities at Rakholi, Chinchpada (Silvassa), Chopanki, Bhiwadi & Pathredi (Rajasthan).

We employ state - of - the - art equipment and adhere to international safety and environmental norms.

KEI was established in 1968 as a partnership company in the domestic wire segment. In the early seventies we started manufacturing switchboard cables and control, instrumentation and thermocouple extension cables including special application cables like fire retardant and low halogen cables. In 1993 we added power cables with PVC & XLPE insulation in our product line. Today KEI is a one-stop-shop when it comes to meeting cabling requirements for the domestic, power and industrial sectors.





FLAME RETARDANT PVC INSULATED SINGLE CORE UNSHEATHED COPPER CABLES (UP TO 1100 VOLTS AC)



# **homecab**<sup>-</sup> - FR

## **Flame Retardant**

Test	Specification	Specified Values		
Critical Oxygen Index	ASTM-D 2863	Minimum 29%		
Temperature Index	ASTM-D 2863	Minimum 250 °C		

## SIZE DIMENSIONS AND RATINGS

**CONDUCTOR**: The conductors, drawn from bright electrolytic grade copper and annealed and bunched together.

**INSULATION**: The bunched conductors are insulated with specially formulated FR PVC compound with a high insulation resistance value. The insulation process is carried out on modern high speed extrusion lines, which ensures high accuracy and consistency in performance. Flame retardant properties enable the cable to withstand overloads. The insulation is resistant to boiling water, steam and vapors. This prevents ageing and cracking in kitchens, bathrooms, damp walls and chemical industries.

**MARKING**: The cables are printed with generic marking 'HOMECAB'.

**COLORS**: Red, Yellow, Blue, Black, Green and Grey.

**PACKING**: 90 Meters (apprx.100 yards) pack in protective cartons.

HomeCab is a multi-stranded flexible wire with flame retardant properties. It has specially formulated insulation with a high oxygen and temperature index, enabling the wire to withstand overloads preventing electric mishaps. So, give yourself the promise of security and supreme quality. Get KEI house wires and safeguard your home for life.

Nominal Cross Sectional	Number/Nominal	Thickness of	Overall	Current Rating		D.C Resistance
Area of Conductor	Dia of wires*[Nom.]	insulation [Nom.]	Diameter Max.	Casing	Concealed	[Max.] at 20°C
Sq.mm	Number/mm	mm	mm	amps	amps	Ohm/km
0.5	16/0.2	0.6	2.6	6.00	5.00	39.0
0.75	24/0.2	0.6	2.8	7.50	7.00	26.0
1.00	32/0.2	0.6	3.0	12.00	11.00	19.5
1.50	30/0.25	0.6	3.4	16.00	14.00	13.3
2.50	50/0.25	0.7	4.1	22.00	19.00	7.98
4.00	56/0.3	0.8	4.8	29.00	26.00	4.95
6.00	84/0.3	0.8	5.3	37.00	31.00	3.30

<sup>\*</sup>The number & diameter of conductor strands are for reference only and governed by conductor resistance.

The above data is indicative only and may be revised without prior information. KEI will not be responsible for any damages arising out of incorrect application of its product.



# **CONFIAMC** - FR-LSH

## Flame Retardant Low Smoke & Halogen

Test	Specification	Specified Values		
Critical Oxygen Index	ASTM-D 2863	Minimum 29%		
Temperature Index	ASTM-D 2863	Minimum 250 °C		
Acid Gas Generation	IEC 60754-1	Maximum 20%		
Smoke Density Rating	ASTM-D 2843	Maximum 60%		

## SIZE DIMENSIONS AND RATINGS

FLAME RETARDANT LOW SMOKE PVC INSULATED SINGLE CORE UNSHEATHED COPPER CABLES (UP TO 1100 VOLTS AC)

**CONDUCTOR**: The conductors, drawn from bright electrolytic grade copper and annealed and bunched together.

**INSULATION**: The bunched conductors are insulated with specially formulated Flame Retardant Low Smoke Compound. During a fire situation, the FR-LSH compound restricts the spread of flame. The smoke emission is also minimal.

**MARKING**: The cables are printed with generic marking 'CONFLAME'.

COLORS: Red, Yellow, Blue, Black, Green and Grey.

**PACKING**: 90 Meters (apprx.100 yards) pack in protective cartons.

KEI's innovative offering Conflame is ideal for wiring solutions in multi-storied buildings, hotels, hospitals, commercial establishments and residential complexes. It is shielded by a specially formulated flame retardant PVC compound. During fire, ordinary PVC emits black smoke and toxic fumes which are acidic in nature. This impairs visibility and hampers rescue operations. Conflame insulation retards spread of fire and emits minimum smoke and toxic gases. Thereby reducing the risk of injury. So, give yourself the promise of security and supreme quality. Get KEI house wires and safeguard your home for life.

Nominal Cross Sectional	Number/Nominal	Thickness of	Overall	Current Rating		D.C Resistance
Area of Conductor	Dia of wires*[Nom.]	insulation [Nom.]	Diameter Max.	Casing	Concealed	[Max.] at 20°C
Sq.mm	Number/mm	mm	mm	amps	amps	Ohm/km
0.75	24/0.2	0.6	2.8	7.50	7.00	26.0
1.00	32/0.2	0.6	3.0	12.00	11.00	19.5
1.50	30/0.25	0.6	3.4	16.00	14.00	13.3
2.50	50/0.25	0.7	4.1	22.00	19.00	7.98
4.00	56/0.3	0.8	4.8	29.00	26.00	4.95
6.00	84/0.3	0.8	5.3	37.00	31.00	3.30

\*The number & diameter of conductor strands are for reference only and governed by conductor resistance.

The above data is indicative only and may be revised without prior information. KEI will not be responsible for any damages arising out of incorrect application of its product.



## **Dan Fire** - ZHFR Zero Halogen Flame Retardant

Test	Specification	Specified Values	
Critical Oxygen Index	ASTM-D 2863	Minimum 29%	
Temperature Index	ASTM-D 2863	Minimum 250 °C	
Acid Gas Generation	IEC 60754-1	Maximum 0.5%	
Smoke Density Rating	ASTM-D 2843	Maximum 20%	

## SIZE DIMENSIONS AND RATINGS

## ZERO HALOGEN FLAME RETARDANT INSULATED SINGLE CORE UNSHEATHED COPPER CABLES (UP TO 1100 VOLTS AC)

**CONDUCTOR**: The conductors, drawn from bright electrolytic grade copper and annealed and bunched together.

**INSULATION**: The bunched conductors are insulated with specially formulated grade of Halogen Free Flame Retardant (HFFR) compound is used. The insulation does not melt or drop in case of fire. The smoke emitted is transparent, non-toxic and minimal. The victims trapped in the fire do not suffocate and evacuation is convenient.

**MARKING**: The cables are printed with generic marking 'BANFIRE'.

COLORS: Red, Yellow, Blue, Black, Green and Grey.

**PACKING**: 90 Meters (apprx.100 yards) pack in protective cartons.

KEI Banfire is processed using a zero Halogen Flame Retardant compound (ZHFR). The insulation is of superior quality, 100% PVC free and eco-friendly. In case of a fire situation, Banfire does not emit toxic or poisonous fumes, which enables safe evacuation. These wires are best suited for wiring in hospitals, hotels, business establishments and high rise buildings where fire can be determined. So, give yourself the promise of security and supreme quality. Get KEI house wires and safeguard your home for life.

Nominal Cross Sectional	Number/Nominal	Thickness of	Overall Current Rating		Rating	D.C Resistance
Area of Conductor	Dia of wires*[Nom.]	insulation [Nom.]	Diameter Max.	Casing	Concealed	[Max.] at 20°C
Sq.mm	Number/mm	mm	mm	amps	amps	Ohm/km
0.75	24/0.2	0.6	2.8	7.50	7.00	26.0
1.00	32/0.2	0.6	3.0	12.00	11.00	19.5
1.50	30/0.25	0.6	3.4	16.00	14.00	13.3
2.50	50/0.25	0.7	4.1	22.00	19.00	7.98
4.00	56/0.3	0.8	4.8	29.00	26.00	4.95
6.00	84/0.3	0.8	5.3	37.00	31.00	3.30

\*The number & diameter of conductor strands are for reference only and governed by conductor resistance.

The above data is indicative only and may be revised without prior information. KEI will not be responsible for any damages arising out of incorrect application of its product.

## **KEI Industries Limited**

REGISTERED AND CORPORATE OFFICE:

D-90, OKHLA INDUSTRIAL AREA PHASE-I, NEW DELHI-110020, TEL: +91-11-26818840/8642/0242 FAX: 26817225, 26811959 E-MAIL: info@kei-ind.com WEBSITE: www.kei-ind.com CIN NO: L74899DL1992PLC051527

## Manufacturing Units

## Bhiwadi

KEI Industries Limited SP-919/920/922, Ricco Industrial Area, Phase-III, Bhiwadi, Distt. Alwar 301019 Rajasthan Tel: +91-1493-220106/221731 Fax: 221731 E-Mail: bhiwadi@kei-ind.com Pathred

KEI Industries Limited Plot No.SP2-874, Ind. Area Pathredi 301019 Bhiwadi (Alwar) Rajasthan (India) Tel: 9828588579

## Marketing Offices (India)

Marketing Office-Mumbai KEI Industries Limited Nirvan Corporate, 7th Floor, Opposite Aghadi Nagar, Pump House, Jijamat Road, Andheri Sasta (1993) Mumbai 400093 Tel: +91-22-28239673, 28375642 Fax: +91-22-28258277 E-mail: mumbai@kei-ind.com

### Ahmedahad

KEI Industries limited 301, Sarthik Complex, Opp. ISCKON BRTS, Satellitte Road, Ahmedabad 380015, Tel: 9825795673 E-Mail: dharmin.maniar@kei-ind.com, ahmedabad@kei-ind.com

Pune KEI Industries Limited Vasudha Equinox, Office No. 104, 1st Floor, Mouje Bopodi, Near Khadki Railway Station, Pune 411003 Tel: 9922722378 E-Mail: srivastav.prashant@kei-ind.com

Nagpur KEI Industries Limited 504, B – Wing, Lokmat Building, Lokmat Square, Wardha Road, Nagpur 440012 E-Mail: nagpur@kei-ind.com Mr. Saranjeet S. Kohli, Tel: 9822473774 F-Mail: saranjeet.kohli@kei-ind.com

## Kolhapur

KEI Industries Limited NCL Industries Limited, Shekhar Babu Potdar RSN.No.1064, Plot no.1, Haripriya nagar, Near Raje Sambhaji Nagar, Kolhapur- MH-416012 Tel - 8591700942 E-Mail: viiav.patil@kei-ind.com

#### Jaipur

Jaipur KEI Industries Limited Shivam Business Center, 405, 4th Floor, Calgary Hospital Road, Pradhan Marg, Malviya Augar, Jaipur 302017 (Rajasthan) Phone No. + 91 141 5179279 Fax: +91 141 252 9404 Tel: 9929093711 E-Mail : jaipur@kei-ind.com

Chandigarh KEI Industries Limited SCO 17, 1<sup>e</sup> & 2<sup>nd</sup> Floor, Swastik Vihar, MDC, Sector-5, Panchkula 134109 Tei: +91-172-4416301, 4416300, 9872974996, 9872581422 E-Mail: chandigarh@kei-ind.com

### Chennai

Chennai KEI Industries Limited No.4, (Old. No. 23) SIR C P Ramasamy Road, 2<sup>rd</sup> Floor, Near Apollo Spectra Hospital Alwarpet, Chennai 600018 Tei: +91-44-42009120 Fax: +91-44-42009130; 8939768405 E-Mail: victor@kei-ind.com, chennai@kei-ind.com

## Cochin

KEI Industries Limited Ward No 18/555 And 18/556, Nad Thorappu, Near Kuzhikkattukara Juma Masjid, Edathala, Ernakulam, Kerala- 683563 Tel: 9645096420, E-Mail : cochin@kei-ind.com

#### Bhubaneshwar

KEI Industries Limited Plot No- 139, 3rd Floor, Rose Dale District Centre, Chandrashekharpur, Bhubaneswar 751016, Odisha Tel: 9937033537 E-Mail: odisha@kei-ind.com

Patna KEI Industries Limited HIG Plot No-4H/59, Bahadurpur Housing Colony, Lohia Nagar, Agamkuan, Patna 800026, Bihar Tel: + 91 95348 38038, 7360042598 E-Mail: bihar@kei-ind.com

## Marketing Office (Overseas)

## Dubai

**KEI** Industries Limited Nel middauise Junied Office -27, LOB 10, PO Box – 261739, JAFZA, Dubai UAE. Tel : +971-564853435 Fax : +971-48812311 E-Mail: dubai@kei-ind.com Contact : Mr. Devraj Tigaiya

South Africa KEI Cables SA (Pty) Ltd. Unit 27-4, Fish Eagle View, 1 Benacre Lane, Modderfontein, 1609, South Africa Ms. Thavashnee Pillay +27 83 235 2895

Silvassa KEI Industries Limited 99/2/7, Madhuban Industrial Estate, Rakholi, Silvassa 396230 Dadra & Nagar Haveli Tel: +91-260-2644404/2630944 Fax: 2645896 E-Mail: silvassa@kei-ind.com

Chinchpada Chincnpada KEI Industries Limited Survey No. 1/1/2/5, Village Chinchpada, Silvassa 396230, Dadra Nagar Haveli (UT) Tel: 7574881215 E-Mail: silvassa@kei-ind.com

Vapi/Silvassa/Daman KEI Industries Limited A1/302, Karmabhumi Residency, Behind Golden Bakery, Nanakwada, Halar, Valsad 396001 Mr. Harsh Desai, Tel: 9723455316 E-Mail: harsh.desai@kei-ind.com

#### Raipur

KEI Industries Limited 206, 2nd Floor, Harshit Corporate, Amanaka, G.E. Road, Raipur, Chhattisgarh 492001 Email: Chhatisgarh@kei-ind.com Mr. Sumit Ganguly - 7581809898 E-Mail: sumit.ganguly@kei-ind.com

Goa KEI Industries Limited House no: 617, Housing Board Colony, Camurlim Mapusa Goa 403507 E-Mail: goa@kei-ind.com Mr. Nilesh Parab - 9890452484 E-Mail: nilesh.parab@kei-ind.com

Solapur KEI Industries Limited Gangadhar Hatte 20, New Siddheshwar Nagar, Near Narendra Nagar, Vijapur Road, Saiful Solapur 413008 Tel: 9960224800 E-Mail: gangadhar@kei-ind.com

Rajkot KEI Industries Limited Mr. Nitin Tank Tel: +91-8155044144 E-Mail: nitin.tank@kei-ind.com

Lucknow KEI Industries Limited E-79,80,81 Transport Nagar (Kanpur Road) Lucknow (UP) 226012 Tel: 0522-4010752 E-Mail: up@kei-ind.com

Kanpur KEI Industries Limited 15/240 F, In Front of Hotel Attic, Civil Lines, Kanpur (UP) 208001 Tel:- 9935062910

Panipat KEI Industries Limited JP Tower, First Floor, Tau Devi Lal Complex Panipat 132013 Tel: +91-9050417107 E-Mail: shakti.sharma@kei-ind.com

Bangalore KEI Industries Limited No 15, Sirur Park Road, Sheshadripuram, Bangalore 560020 Tel: +91-80-23466254, +91-80-23466260/55 Ph.: 8884439333 E-Mail: bangalore@kei-ind.com

Hyderabad Nyderabad KEI Industries Limited Plot No. 76, H.No. 3-14-52/1, Shubodaya Colony, Near M.E Reddy Function Hall, Mansoorabad, Vanasthalipuram, Hyderabad 500070 Tel: +91 88860 63702, +91 99855 77886 E-Mail: hyderabad@kei-ind.com

#### Guwahati

Guwahati KEI Industries Limited, Mangalam Plaza Compound, Near Nort East Weight Bridge, NH-37 Bye Pass, Beltola, Guwahati 781029 Assam Rubul Gogio – 8134846024, 9706050041 E-Mail: rubul@kei-ind.com

## Ranchi

Ranchi KEI Industries Limited Golden Camp Warehouse, Old H B Road Kokar, Ranchi, Jharkhand 834001 Tel: 9810492658, 8918904901 E-Mail : jharkhand@kei-ind.com

#### Australia

Australia KEI Cables Australia Pty Ltd Level 1, 7 Marie Street, Milton, Brisbane, 4064 Queensland. Australia Tel: 1300 780 831 Contact: Mr. Michael Wicks E-mail: info@cablegrid.com.au

Nigeria (Marketing Representative) E-Mail: kunal.gupta@kei-ind.com Tel: +234 809 9777786

## Chopanki KEI Industries Limited A-280/281/282/283/284, Ricco Industrial Area (Chopanki) Distt. Alwar 301019 Rajasthan Tel: +91-1493-260202/06 Fax: 260203 E-mail: chopanki@kei-ind.com

### Nashik

KEI Industries Limited Flat no.6. Om residency pagaremala Badade nager, Near venkatesh residency. New Nashik cidco 422009. Mr. Ghanshyam Ramesh Pardeshi Tel: 8805369705 /8291918949 E-Mail: ghanshvam.pardeshi@kei-ind.com

Baroda KEI Industries Limited

#### Surat

KEI Industries Limited 703, Royal Trade Centre. Opposite Star Bazar, Adajan - Hazira Road, Adajan, Surat 395009 Tell : +91-8980772277 / +91-261-2793279 E-Mail: deepak.zhamtani@kei-ind.com, surat@kei-ind.com

Aurangabad KEI Industries Limited House No. 15 Khivansara Nagar, Bidkin, Paithan Road, Aurangabad 431105 Tel: 9822473774 / 9975708195 E-mail: aurangabad@kei-ind.com, suraj.thote@kei-ind.com

KEI Industries Limited A-43 Ground Floor, Sector-64, Noida, UP 201301 Tel: 0120-4315467

Indore KEI Industries Limited Plot No 451 Sch No 78 Industrial Area New Loha Mandi Dewas Naka Indore 452010 (M.P)Tel: 9826588885

Gurgaon KEI Industries Limited Shop no-101 1st Floor, Radha Palace Gurudwara Road, Gurgaon Haryana-122001 Tel: +919873561757 E-Mail: rksingh@kei-ind.com

Dehradun KEI Industries Limited H.No. – 329, Lane No- 13, Mohit Nagar, Dehradun 248001 (U.K.), Ph.: 0135-2762223 Tel: 9756621171 E-Mail: depotdehradun@kei-ind.com

#### Secunderabad

KEI Industries Limited Flat No.613, D. No: 1-2-218,92,93 Swapnalok Complex, SD Road, Secunderabad, Telangana – 500003 Tel : 8008000583 / 9963530111 E-Mail : kiran.kumar@kei-ind.com / vasudeva.rao@kei-ind.com

Coimbatore

Coimbatore KEI Industries Limited, SF.no. 581/A, K.N.G. Pudur Road, Kanuvai Post S.M. Palayam Village, Coimbatore 641108 Tel: 9443324217, E-Mail: manohar.s@kei-ind.com

Vijayawada KEI Industries Limited Venkata Ramana Enclave, D.No. 48-18-2a/1, 2nd Floor -Nagarjuna Nagar Colony, 6th Lane, Behind Sai Baba Temple, Besides Ayush Hospital Krishna Dist., Andhra Pradesh 520008 Tel.: 970558838 / 7799397779 E-Mail: annem.rambabu@kei-ind.com / giresh.kumar@kei-ind.com

#### Kolkata

**KEI** Industries Limited Arihanth Benchmark, 4th Floor 113-F Matheshwartola Road Ps:Tiljala, Kolkata: 700046 Tel: 033-0662 0820 / 4062 0822, 9932449183 E-Mail: kolkata@kei-ind.com

Ground Floor, Hakimpara, (Opp. Relief Physiotherapy Centre) Dist-Darjeeling, Siliguri 734001, West Bengal Tel: 6292209825, E-Mail: dibyojyoti.karmakar@kei-ind.com

Korea (Local Representative) Contact: Mr. CH Han E-mail: ch.han@kei-ind.com Tel: +82-10-4351-8585 Mr. TH Bodr. Mr. TH Park E-mail: th.park@kei-ind.com Contact : +82-10-9104-4519

NEL Industries Limited 803-804, Siddharth Complex, Near Hotel Express R.C. Dutt Road, Baroda 390007 Tel: +91-265-6539719, 2341831, 9824676443, 9327476732 E-Mail: baroda@kei.ind.com, amit.gohil@kei.ind.com

Siliguri KEI Industries Limited, 8, Balai Das Chatterjee Road,